ˋEˆ ©2008

ˇ Ḡ w̄ ℗ ≠ Â

ˋEˆ й ˆˇ κ ν ϒ β ϵ ϖ ϯ Ь ȁ L

й ṕ № ŋ ˇ ϝ Ь ϒ κ ν D Â

Ruijie Networks ® ȁ Ruijie ® ȁ RGNOS® ȁ

锐捷® ȁ ® ȁ Red-Giant® ȁ [redacted]

ˋEˆ ʹY ˇ Ь ο ω̣ Â

1 v פ ث 2

2 v ą פ ث ƀ 4
2.1 ќ network 4
2.2 – recover 6
2.3 Ω restart 6
2.4 ˜ shutdown 6
2.5 ќ password 6
2.6 reset 7
2.7 ₹ exit .....

1

ˆ̃ γ ą ǫ̈ ǐ putty.exe ˇ ssh ǐ ˇ Ḥ

ο Ũ ˇ O system ˇ system ˇ Ӈ ̣ ̣ ˆ γ putty ч ᴅ ˜ʽ

[redacted]



IP ӊ Ũ ˇ ₯ ʼ Open Ⱡ ˇ ₮ γ Ӈ



ľ Ĺ

~ ˘ ضي ľ login as Ĺ U ~ O ľ system Ĺ U ﻋﺠ

ضي ľ password Ĺ U ~ ľ system Ĺ ~ Ѣ Ψ ~ U ﻋﺠ ˘ ﻋﺠ ˘ ﻋﺠ ~ ⌠ ث פ

Й, Â

2

˜ O غ ˘ Ψ Й ˈ

```
Last login: Tue Jun 28 05:01:59 2011 from localhost.localdomain
        Welcome to DB Audit System Configuration Interface.
        Plese input help to list all support commands.
Command>
```

ضي ث ه ˜ help˘ ˜ ɣ ʃ ŋ ث ه˘ Й يح ˈ

```
Command>help
        network    Modify Communication Network Configurations
```



network˙ ḱ ˘ ˧ ḱ ⊢ ح Ḥo IP خي ضر à ɣ ï ˜ à DNS1˘ DNS2



2 à ▯ ˘ ʅ ḱ ˘ ˧˥'

Do you want to modify Network Configuration(y/N):

3 à ˜ n عج U˘ عج ⌠ ث ف Â

4 à ˜ y عج U˘ ˜ IP ضر ثخ ' 192.168.56.1˜˜ ˧˥'

Please input ip: 192.168.56.1

عج ˘ ˜ Ӣ̧ w̄ ˘ ˜ ˆ ' 255.255.255.0˜˜ ˧˥'

Please input mask: 255.255.255.0

عج ˘ ˜ Ӣ̧ w̄ ˘ ˜ ˜ˆ ' 192.168.101.1˜˜ ˧˥'

Please input gateway:192.168.101.1

عج ˘ ˜ Ӣ̧ w̄ ˘ ˜ DNS ⊢ كح ضر ثخ 1ˆ ' 192.168.56.6˜˜ ˧˥'

Please input DNS1:192.168.56.6

عج ˘ ˜ Ӣ̧ w̄ ˘ ˜ DNS ⊢ كح ضر ثخ 2ˆ ' 8.8.8.8˜˜ ˧˥'

Please input DNS2:8.8.8.8

عج ˜ Ӣ̧ w̄ '

Your input,ip is:192.168.56.1,mask is:255.255.255.0,gateway is:192.168.101.1
,DNS1 is:192.168.56.6,DNS2 is:8.8.8.8
Do you want to modify(y/N):

ḱ U ip˘ ˘ ˜ Ḥ ₮ ˘ γ Ḃ Ḥ ʅ ˘ ƀ ˜ γ ضي ᾠ

˜ n˘ عج ⌠ ث ف ' Ḥ ˘ ضي ᾠ ˜ y عج ˧˥˜ ˜ Ӣ̧ w̄ '

(y/N)?After the restart to take effect. To restart

Ϙ˘ U ˘ ʅ Ϙ Â ˜ y˘ Ḡ ḱ ˘ Ϙ˘ ' ˜ n˘ عج ⌠ ث ف Â

2.2 recover

system Ŭ ˜ recover عج ˘ ₮ Ŭ ʼ



```
Command>recover
This command will delete all audit data and recover system to initial state.
If you changed the IP address of the communication port,and is currently logged
[illegible]
```

ث פ – غ ʃ Δ Â Ḥo غ Ḥo IP شخ ʃ ₮ ٨ Â
˜ y˘ – w˘ ʃ Δ ʼ ˜ n˘ عج ʃ ث פ Â

2.3 restart

system Ŭ ˜ restart عج ˘ ʅ Ƨ ˘ ٨ʼ



```
Command>restart
Do you want to restart the system(y/N)?
```

˜ y˘ Ƨ ʼ ˜ n˘ عج ʃ ث פ Â

2.4 shutdown

system Ŭ ˜ shutdown عج ˘ ʅ ˜ ˘ Ŭ يج ʼ

```
Command>shutdown
Do you want to shutdown the system(y/N)?
```

˜ y˘ ˜ ʼ ˜ n˘ عج ʃ ث פ Â

2.5 password

system Ŭ ˜ password عج ˘ ʅ ḱ ˘ Ŭ يج ʼ

```
Command>password
Do you want to change password of the system (y/N)?
```



1 ầ ˜ ň ﻋﺠ ⌠ פ ث Â

2 ầ ˜ ỹ ˘ ˜ ˘ ﻋﺠ U ʼP ˘ Ӣ ﻳﺠ ʼ



Ӊ ˜ Ѣ ѿ ˘ ↕ ₮ ʼ Ѣ ϒ ˘ ˜ ˘ Ӣ ﻳﺠ ʼ

```
Sorry, passwords do not match.
New UNIX password:
```

ﻋﺠ ˜ ѿ ˘ ↕ ψ ₮ ḱ ﻋﺠ ⌠ פ ث ˘ Ӣ ﻳﺠ ʼ

```
Sorry, passwords do not match.
passwd: Authentication information cannot be recovered
Command>
```

ḱ ﻋﺠ ˘ ↕ ₮ ḱ ﻋﺠ ⌠ פ ث ˘ Ӣ ﻳﺠ ʼ