



# **RG-WALL 1600-M5100**

**V1.4**

©2013



*Ruijie*

RGOS®


RGNOS®

7 × 24

<http://www.ruijie.com.cn/>  
<http://webchat.ruijie.com.cn>  
<http://www.ruijie.com.cn/service.aspx>  
<http://support.ruijie.com.cn>  
[service@ruijie.com.cn](mailto:service@ruijie.com.cn)

4008-111-000

1



1-1 RG-WALL 1600-M5100

RG-WALL 1600-M5100

1-2

1~7

1-2 RG-WALL 1600-M5100

|   |          |       |                  |
|---|----------|-------|------------------|
| # |          |       |                  |
| 1 | USB MGMT | USB-B | USB              |
| 2 | MGMT     | RJ-45 | PC MGMT 1 Web UI |

**2**

**2.1**

RG-WALL 1600-M5100

**2.1.1**

**2.1.2**

---

**2.1.3**

---

1~10

### 2.1.5

RG-WALL 1600-0020004273300E27407R381 0 704 14 11123180405E2 1 140 1 1534044E343840834041041AE3 9 0 1084D921D201B91 01

[illegible]

**2.2.3**

RG-WALL 1600-M5100

RG-WALL 1600-M5100

|          |         |
|----------|---------|
|          |         |
| 0°C-40°C | 20%-90% |

---

1.5M

0.4M

**2.2.4**

2.2.7 EMI

2.3

2.4

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |

|                    |
|--------------------|
| RG-WALL 1600-M5100 |
|--------------------|


2.5

|  |   |   |            |   |         |   |   |
|--|---|---|------------|---|---------|---|---|
|  | 2 | 2 | USB<br>SFP | 2 | Console | 8 | 4 |
|--|---|---|------------|---|---------|---|---|

|  |
|--|
|  |
|  |

3

3.1



3.2

3.3

5mm

1.5cm

- 1)
- 2)
- 3)
- 4)

1RU=44.45mm(1.75inch) IEC60297 19 1RU 3-1


RU Rack Unit

WALL 1600-M5100

RU U

RG-

3-1



|                    |  |                    |
|--------------------|--|--------------------|
| RG-WALL 1600-M5100 |  |                    |
|                    |  |                    |
| RG-WALL 1600-M5100 |  | RG-WALL 1600-M5100 |

3.4

RG-WALL 1600-M5100

10mm

- 1) RG-WALL 1600-M5100
- 2) RG-WALL 1600-M5100
- 3) RG-WALL 1600-M5100 RG-WALL 1600-M5100

3.5

16A

- 1)
- 2)

|   |     |       |
|---|-----|-------|
| 3 | 1.5 | 14AWG |
|---|-----|-------|

3.6

---








&lt; &gt;

4-4

4-3



&lt; &gt;

4-5

9600

8

1


4-4




3)

< >

4-6




|     |         |         |           |         |         |         |     |
|-----|---------|---------|-----------|---------|---------|---------|-----|
| PC  |         | Console |           |         |         | Console |     |
| USB | PC      | PC      | SecureCRT |         |         | Console | USB |
| USB | Console | USB     | Console   | Console | Console | USB     | PC  |
|     | PC      | 0       | 0         | "       | "       | "       | "   |
|     | 4-7     |         |           |         |         | COM     | LPT |
|     |         |         |           |         |         |         | COM |



9600 8 1

- 1) File Connect Connect -new session -
- Serial 4-8



4-8

- 2) 6 0 4-9




4-10

4)

< >

4-11



4-11

4.2

PC


5

5.1

RG-WALL 1600-M5100

6

6.1



6.2

1

2

Status      Power



**A**

A 4



**B**

RG-WALL 1600-M5100


19

D-2



D-3

D-3



220V      -48V

D-4

D-4

