

RG-AP220-SH

V1.20

<http://www.ruijie.com.cn/> III

4

4

4

III

<http://webchat.ruijie.com.cn>III

8:30

6

1.

L

4

4

III

4

III

<http://www.ruijie.com.cn/service.aspx> III

III

4

III

7 § 24

4008-111-000

<http://support.ruijie.com.cn>

service@ruijie.com.cn

	III
	III III
WEB	III WEB

III

Ч Ч

III

III

III

“ ”

III

“ ”

III

“ ”

Ч Ч Ч III

“ ”

III

” ”

III

“ ”

III


A“ ”III

B“ ”III

		AC 90-264V/50-60Hz
		DC 48V/0.4Amax
	PoE	802.3af PoE
		9.5W
		802.11b Ч 802.11g Ч 802.11n 2.4000GHz-2.4835GHz
		500mW[][]

2

2.1



~

AP

2.2 AP

AP

2-2

1)45mm120 § 275mmIII 2)

4)APAP

III

RG-AP220-SH

AP

AP

SMA

III

3

AP

2-4

2.3

1	4.10/100/1000Base-T
2.Console	5.
3. LED	6.

III

III

AP

AP

III

2-6

1.Radio1 LED	3.Radio2 LED
2.Status LED	

--	--	--	--

1/2*	Radio1/2*		
			2.4G
			2.4G
			5G
			5G
*	Power*		
LED	C		Link
			1000M Link Up
			1000M
			100/10M Link Up
			100/10M

" 2 " RG-AP220-E V1.x RG-AP220-E V2.x

" " RG-AP220-SH V1.X RG-AP220-SH V2.X

2.4

PoE 802.11af III III

Radio

Status	Radio		AP	AC
CAPWAP	AC	III		
RG-AP220-E V2.0	RG-AP220-SH V1.X	RG-AP220-SH V2.X		