



RG-Rain200C

User's Manual

©533305346

o

o

o

o

o

o

.....	1
100.	î
2	î
22	ð
0	ð
2	ñ
20	ò
20	ò
20	ó
20	ó
20	ó
20	ø
2	ô
44/2	õ
20	10
2	1í
0	1í
20	1í
2	1ï
2	1ñ
20/2	16

UJ0Udlq533C

DUP Fr rwh{0<
Pd0l0733 JSX

43;3 S

UJ0Udlq533C

4



RG-RCD

RG-Rai



1 UJ0Udlq533C

4 UJ0Udlq533C

4		4	
5	+	4	
6		4	
7		4	
8		4	
9		4	

2 RG-Rain200C

	RG-Rain200C
	户端

CPU

ARM Cortex-9

- Power

- USB XVE42XVE52XVE62XVE4 USB

U

-

-

- 住此小孔中的按键，同时按下Power

恢复界面；

-

- 45Y ---61: 8D

UJ0Udlq533C

× UJ0Udlq533C 43 f p

× UJ0Udlq533C

3°F 73°F

043°F 83°F 43% <3% 8%
<8% 7; 48

× UJ0Udlq533C

3

RG-Rain200C

1. RG-Rain200C
- 2.
3. RG-Rain200C power

1.


2.

1.

2. 开

100-240VAC 50/60HZ

Power



-3.5° 15°

Sr zhr

41

UFG LS

/

VM2W4469705347,,

†

n 4 iHàiD}Ä ÒÅmoÙÁª¢n

B^df	Ä Ò Å					
	g h	g.M h	g)J h	g)Xg</h h	g 6 (h	g 6 *+ h
Ù Ó	Q	Q	Q	Q	Q	Q
@à³ªP I o ,		Q	Q	Q	Q	Q
è á Á ^ -		Q	Q	Q	Q	Q
> F ~		Q	Q	Q	Q	Q
> ě N ě		Q	Q	Q	Q	Q
`ä O ~		Q	Q	Q	Q	Q

În %G90 : • Úòož
 QynP¥Ä ÒÅ"¥B^ñÄ®ÄÕ% mO®" GB :26572
 • 'O}LY ož
 ~ynP¥Ä ÒÅ 5"¥B^ î%²®ÄÕ% mOÝß
 GB :26572 • 'O}Lož
 hy
 ÎnaPiHài Ä',[^• î°ZD}U m ?Ò
 Åk ?Ä ÒÅ B^ æ¶ñ ÐGJJu'òò—c è
 Ä ÒÅ ÁWkx ?'îU š5 ÐGJð •¾•ož
 ÿG°Z cU ¶mÄY ñÄB^k¬Y ŽÆ1Ñ° Őož
 În B^ # †KÓiKiHài Ä',[ož

733;04440333

kwws=22z z z1rxlmh1f r p1fq



D } ü g ö Õ y 7 0 2 * @