





<http://www.ruijiery.com/>

<http://ocs.ruijie.com.cn/?p=smb>

<http://www.ruijie.com.cn/service.aspx>

7


4001-000-078

<http://bbs.ruijiery.com/>

h

**1**

1-2 RG-NBR1000G-C



|          |                  |
|----------|------------------|
|          |                  |
| Speed    | 1000M<br>10/100M |
| Link/ACT | / / Link         |
| Reset    | 3<br>3           |

1.2 RG-NBR2000G-C

|           |                                                                                                                             |
|-----------|-----------------------------------------------------------------------------------------------------------------------------|
|           | RG-NBR2000G-C                                                                                                               |
|           | DDR3 SDRAM 2GB                                                                                                              |
|           | BOOTROM 8MB                                                                                                                 |
|           | FLASH 512MB                                                                                                                 |
| I/O       | WAN<br>6 10/100/1000M<br>WAN1 WAN2 WAN3 WAN4 WAN5 WAN/LAN<br>WAN0 WAN1 1000BASE-SX/LX/ZX mini GBIC<br>GE-SFP-LX20/LH40-BIDI |
|           | LAN<br>2 10/100/1000M<br>LAN1 WAN/LAN                                                                                       |
|           | 1                                                                                                                           |
|           | USB 2                                                                                                                       |
|           | 10Base-T/100Base-TX/1000Base-TX 1000BASE-SX/LX/ZX                                                                           |
|           | RS-232                                                                                                                      |
| x x<br>mm |                                                                                                                             |


|  |                   |
|--|-------------------|
|  | 100-240V~ 50-60Hz |
|  | 40W               |
|  | -5~45             |
|  | 10~90%RH          |

|   |     |   |   |       |
|---|-----|---|---|-------|
| U | USB | U | U | FAT32 |
|---|-----|---|---|-------|

1-3 RG-NBR2000G-C




1-4 RG-NBR2000G-C



|       |          |                  |
|-------|----------|------------------|
|       |          |                  |
| 0-7   | Link/ACT | / / Link         |
| 0-7   | Speed    | 1000M<br>10/100M |
| 6F-7F |          | Link             |
| Reset |          | 3<br>3           |

1.3 RG-NBR3000G-S

|  |                |
|--|----------------|
|  | RG-NBR3000G-S  |
|  | DDR3 SDRAM 2GB |
|  | BOOTROM 8MB    |
|  | FLASH 512MB    |





## 2

### 2.1

NBR

NBR

## **2.2.1 /**

2.2.4

2.2.5


19"

2.3

|  |        |
|--|--------|
|  |        |
|  |        |
|  | HUBAPP |

3

3.1 NBR



3.2 NBR

NBR

NBR

3.3

NBR 100-240V~/50-60Hz


---

---

3.4

1Ω NBR 1

3-1 NBR



3.5

NBR


10

**4**


**4.1 Console**

NBR

Console



4-3



4-4



4.2

“ ”

NBR

Boot 1.3.12-00503-ga15871f (Build time: Nov 25 2015 - 10:13:23)

DRAM: 2 GiB

NAND: 512 MiB

Flash: 8 MiB

SETMAC: Setmac operation was performed at 2016-01-06 11:03:10 (version: 11.0)

Press Ctrl+C to enter Boot Menu

Creating 1 MTD partitions on "nand0":

0x0000000000000-0x0000010000000 : "mtd=0"

UBI: attaching mtd2 to ubi0

UBI: physical eraseblock size: 131072 bytes (128 KiB)

UBI: logical eraseblock size: 129024 bytes

UBI: smallest flash I/O unit: 2048

UBI: sub-page size: 512

UBI: VID header offset: 512 (aligned 512)

UBI: data offset: 2048

UBI: attached mtd2 to ubi0

UBI: MTD device name: "mtd=0"

UBI: MTD device size: 16 MiB

UBI: number of good PEBs: 128

UBI: number of bad PEBs: 0

UBI: max. allowed v

```
html decompress. [ OK ]
Starting php-fpm...create /var/run/php-fpm.pid done...
Starting php-fpm...create /var/run/php-fpm.pid done... [ OK ]
WARNING: pgstat wait timeout
Starting Nginx...
Starting Nginx... [ OK ]
Starting newcmd v_tty...
Starting newcmd v_tty... [ OK ]

Press RETURN to get started
WARNING: pgstat wait timeout

Ruijie>
```

---

---

## 4.3 NBR

NBR

## **5**

### **5.1**

NBR