


V1.1





ñ ı Ā Ā

ñ ı ı ı Ā

% Ā

JA

ή 1

H




1.

2.

3.

4.





~~W~~ ٧ G.657 A2

$\tilde{\Omega}$ $\mathbb{J}$ $\tilde{\Omega}$
 $\mathbb{J}$ $\mathbb{J}$
 $\mathbb{J}$ $\mathbb{J}$
 $\mathbb{J}$
 $\mathbb{J}$

$$\%_{00} \quad | \quad 1$$

PDA

↓

PC

ω IxChariot

endPoint

FTP 4

✓ ✓

2.4G 5G

WirelessMon

WiFi 4

3 0 1	RVV 2 3 4 A 1 % % YD/T 1173-2016 000 3 1 : K	1 1/8 ~ 1/8 12 3 0 1 4 A 1 / 1	NA
3 0 1	1 1 BVVB 2 3 1 A 1 1 : K	1 —AP 3 0 1 1/8 ~ 1 1 A 1 1	NA
1		1 —AP 3 1/8 —AP	https://item.taobao.com/item.htm?spm=a230r.1.14.15.65d85e7506ueAh&id=623673107776&ns=1&abucket=12#detail
1 1		1 3 1 3 0	AM5552-SF(V2) 5
ODF "	1 0 LC	1 N Δ 1 E	NA
N 1	W 3 LC 1	1 ODF " 1 1/8 : 3 W	Q 1 ", 0 , * W
N	W 3 LC 1	1 N ' 1 R N —AP	0 * W,
N ' 1	W 3 G657.A2 % ' 1 : K	1 —AP ODF " 1 1/8 ~ —AP : N : α	1 W 3 W , : N , 0 * W,
α □ N 1 9 1		1 3 0 1 1 J 000 J	NA



RG-MAP852-SF AP ↑ 'A ∂ J[≈] 卜—6 ∂ 30cm 'A

RG-MAP852-SF AP



1.

2.

3.

4.

RG-AM5552-SF

↓ = • % | 1U[OBJ] † ‡ † RG-AM5552-SF ⋄ ⋄ ~~W~~ RG-PA150I-F
⋄ ⋄ † 1 ⋄ ⋄ ⋄ † H † 2 ⋄ ⋄ ⋄
2 ⋄ ⋄ * † † H %H ⋄ †
≡ [OBJ] "Ω ≡ [OBJ] ⋄


1	
---	--

↓ = ● %₀₀ 7 1U_{OBJ} †

$\diamond \vdash$ $\vdash 1$ $\diamond \vdash$ $\vdash$

4 56V $\supset$ $\diamond$ ∇ $\frac{1}{8}$ 172W $\frac{1}{8}$

RG-AM5552-SF(V2)




+	1	↑ ~ ♂	7	↑ ↓ ↑ ↓	MGMT
	2	MGMT ↑ ~ ♂	8	SFP ↓	
	3	↗ ↘ ↑ ~ ♂ (PWR1)	9	SFP ↓ ↑ ~ ♂	
	4	↗ ↘ ↑ ~ ♂ (PWR2)	10	SFP Plus ↓	
	5	USB	11	SFP Plus ↓ ↑ ~ ♂	
	6	Console			

RG-AM5552-SF(V2) $\supset \diamond$ $\supset \diamond$ ~~W~~ RG-

‘H 2 2 2

12 AP ω 200m


RG-AM5552-SF(V2)




†	1.											
	2-5.4	3 4										
	6	3	4	W	2	Rs	3	4	'H	3	4	—
	7	3	4	W	1	Rs	3	4	'H	3	4	—

RG-AM5552-SF(V2)

1 1 ”



4. 将接线完毕后的4个插头分别插入整机后部的端口内，每个端口最大支持12台微AP。





1.

2.

3.

4.


48 SFP 4 SFP+ 4 — 2 3 4 Rs 2 56V/1000W 3 4 W 3 4

12 AP


200


1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

OBJ 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



ODF







『 』

『 』


『 』

』





Λ ' Λ Α
Αί 0 ι G.657 A2 W 5 [OBJ] Λ ' Λ Α 0 4 Λ 1 Α ... η = e 0




Ω Λ ι R [OBJ] A ' [OBJ] R R Λ . R R ι Λ Λ √ ⅃ 5 ⅃ ⅃ ⅃ Λ
3 4 Λ AP 3 ι [OBJ] 3 4 1 1 0 ⅃ 1 A κ ⅃ ⅃ ⅃ ⅃ AP [OBJ] ~ ⅃ ⅃



RG-MAP852-SF




86 "

AP'



RG-MAP852-SF 1 1 A
1 [OBJ] A

1 1



1 [OBJ] A



≡ ω 1 A ∂ [OBJ] 1
∂ 1 A [OBJ] ~ ~
↓ 1 ∂ [OBJ] M 86 "

└

1 ∂ 1

1 Rs

AP

Λ` Λ ∩ ∠ 1 5/8 M A A
ĩ ī 1 [OBJ] A 1 ∂ ∩ ∠ 1 Λ 1 AP` Λ [OBJ] J
1 Rs 1
— H ĩ 1 ≠ ĩ Λ 1 ĩ

$\gamma \quad 1 \text{ A} \quad \diamond \quad \gamma \quad \lambda \quad 1 \quad 1 \text{ H} \quad | \quad \lambda \quad 1 [\text{OBJ}] \quad 1 \quad \diamond \quad \gamma \quad 1 \quad \lambda$

$\tilde{\imath} \quad \approx \quad AP' \quad \lambda \quad \lambda \quad \omega \quad [\text{OBJ}] \quad 1$






1.

2.


3.

4.



```
3
4 /*脚本使用说明: 查看脚本使用说明, 填写相关环境参数x
5 1. 打开CRT并连接登陆
```

~ 0
1
i
AP i
OBJ
OBJ i AP




RTR


```
var filePath = 'D:\\'; //必选项：填写结果记录文件的路径—英文路径,如果有子目录的话，必须预先创建好对应的文件目录!!
```



excel



sheet



⌋

3db

-20dbm

[illegible]



- 1.
- 2.
- 3.
- 4.

1 Link

√ 1* W 1 1 ñ | Link

1 ã A | ã 1 [OBJ] 1 [OBJ] 1 ñ |.

1 1 1 W [OBJ] K 1 .

2 . A [OBJ] W L ã 7


3 . A [OBJ] ~ ã W % [OBJ]

4 . i A [OBJ] ' ã 1 1 ã 1 d ' [OBJ] 1 . 1 ' W ã 1

*

2 RX power

1



Ů Ā Ā

Ů Ā Ā ð ‰



THANKS

上海锐捷网络股份有限公司

上海

29


100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn



A 11

