

SCC1000-SIM
4

3

2

HDMI

1

VGA

ios windows

U

touch

z/AtC#W/P/

	SCC1000-SIM
CPU	RK3399 6 (2XA72+4XA53) 1.9921GHz
BOOTROM	/
Flash Memory	EMMC5.1 16GB
SDRAM	DDRIII 4GB
	1 console
	5 HDMI 2 5
	2 VGA 1
	6 USB2.0 OTG
	3
	<18W


	0°C 40°C
	-20°C 70°C
	5% 95% RH
	0 4000
	5% 95% RH
	USB
x x	

SCC1000-SIM 6 USB2.0 1 RS232 5 HDMI 2 VGA 3

1-1SCC1000-SIM




1-2SCC1000-SIM



1	9
2	10 VGA
3	11
4	12 1
5 USB HOST	13 2
6 USB TOUCH	14 PC
7 USB hub	15 Notebook
8	16VGA

1-3SCC1000-SIM

- 
- 1
 - 2 LINK
 - 3 PC
 - 4 notebook
 - 5 VGA

PE

/

18

24

10cm

$\geq 0.5 \mu m$	/m ³	$\leq 3.5 \times 10^6$
$\geq 5 \mu m$	/m ³	$\leq 3 \times 10^4$

I

≤

II


Æ

SCC1000-SIM

2.2.7 MI

EMI

&



SCC1000-SIM

D-4

B-4

35

mm	mm
10	80~150
10~30	150~200
30	200~300 RAKP&P&R556Z)G%52&%312@