




YOU ARE HERE

YOU ARE HERE




目录 Contents


1




2

3





—	AP /	
3Hz	AP uboot	
—	AP	
3Hz	AP Link down	
—	AP CAPWAP	
3Hz	AP	
—	AP CAPWAP	
3Hz	AP CAPWAP	
3Hz 2 2	AP	



目录 Contents

1



2

3

[illegible]

1. Einführung

2. Grundlagen

3. Anwendungsgebiete

4. Zusammenfassung

5. Literaturverzeichnis

6. Anhang

7. Glossar

8. Index

9. Register

10. Bibliographie

	11axsupport enable
	no 11axsupport enable
	no 11ax
	Radio 11ax 11ax STA
	dot11radio

	long-gi { 0.8 1.6 3.2 }
	no long-gi
	no 11AX 0.8us
	0.8 OFDM 0.8us
	1.6 OFDM 1.6us
	3.2 OFDM 3.2us
	0.8us
	dot11radio

	ofdma enable
	no ofdma enable
	no ofdma
	dot11radio

目录 Contents

1



2

常用功能配置

3

日常维护和问题排查

```

Online AP number: 33
offline AP number: 156

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| Up/off time | State | AP Name | IP Address | Mac Address | Radio | Radio |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 0:00:100 | 100% | WLCN10000-WL | 192.168.1.1 | 00:0C:8C:00:00:00 | 100% | 100% |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+

```

```

WS18000-1B11#show ac-config client | in mu
===== show sta status =====
AP      : ap name/radio id
...
Total Sta Numr : 39=

```

mu终端

RG-AP820

AP820-A(V3)

