






RG-WALL 1600-Z

RG-WALL 1600-Z



1.

2.

3.

4.

5.


6.

7.



/

SYS







CPU/

Web

CPU

CPU

80%



CPU

80%

*


4008111000

<http://webchat.ruijie.com.cn>





()




安全级别				
日志类型				
时间				
详细信息				
安全日志				
流量监控				
设备硬件监控				
提示				
CPU Alarm				
the current CPU usage is (89.98%) exceeds alarm thresh				
2022-01-13 19:12:15				
the current CPU usage is (100.00%) exceeds alarm thres				
2022-01-13 19:13:05				
the current CPU usage is (100.00%) exceeds alarm thres				
2022-01-13 19:13:05				
the current CPU usage is (100.00%) exceeds alarm thres				
2022-01-13 19:12:55				
the current CPU usage is (100.00%) exceeds alarm hold 85%				
2022-01-13 19:11:35				
the current CPU usage is (100.00%) exceeds alarm hold 85%				

https
ping https

webui







Ping

IP

Ping

Tracert

IP



TCP UDP ARP
IP IP
MAC MAC

Reset Eweb

抓包选项

接口

请选择接口

规则

协议 ☐ any ☒ IP ☐ ARP

协议 ☒ any ☐ TCP ☐ UDP

源IP (端

格式: 192.168.1.1

0~65535

目的IP (端

格式: 192.168.1.1

0~65535

源MAC

格式: 0011.0022.0033

目的MAC

格式: 0011.0022.0033

一键收集

一键收集完成, 请下载收集的信息或重新收集

最近一次收集时间 2022-01-07 13:25:43

一键收集 下载



1.

2.

3.

4.

5.

6.



ping web

ping ssh , web

ping

ssh: ssh--> ssh ()









1.

2.

3.

4.

5.

6.

7.

Shell

web

Shell

`sudo nc-cli -e`

CLI

Cli:

115200


SSH

CLI

Cli

shell

```
ntguest@192.168.23.181's password:
ntguest@firewall:~$ sudo nc-cli -e
password:
firewall>
```



```
firewall> show product
show-product
start-time "2022-01-13 18:53:35"
uptime "4 hours, 33 minutes"
productname Z5100
hardwarever 1.00
serial-number 51240380-132022
hardware-ver 1.00
software-ver 1.1.0.f6bea6f3
software-hum 11240380-132022
boot-version 1.1.0.f6bea6f3
```

yang

срп

```
show memory
```

CPU

0

100

CPU

```
top - 23:32:22 up 4:38, 0 users, load average: 3.42, 3.44, 3.53
```

[illegible]

173	178	183
-----	-----	-----

[illegible]

0.0/0.0 0L

0.0/0.0 0[]

78.8/3.8 []

0.0/0.0 [

```
MemTotal:      4029480 kB
MemFree:       580988 kB
MemAvailable:  854524 kB
Buffers:       72644 kB
Cached:        391232 kB
SwapCached:    0 kB
Active:        574684 kB
Inactive:      261104 kB
Active(anon):  432580 kB
Inactive(anon): 29836 kB
Active(file):  142104 kB
Inactive(file): 231268 kB
Unevictable:   8408 kB
Mlocked:       3408 kB
```

```

SwapTotal: 0 kB
SwapFree: 0 kB
Dirty: 400 kB
Writeback: 0 kB
AnonPages: 373336 kB
Mapped: 131464 kB
Shmem: 90520 kB
Slab: 93156 kB
SReclaimable: 55756 kB
SUnreclaim: 37400 kB
KernelStack: 4384 kB
PageTables: 4808 kB
NFS_Unstable: 0 kB
Bounce: 0 kB

```

```

Total: 503545 kB
mmaped_AS: 1361155 kB
allocTotal: 135290290112 kB
allocUsed: 0 kB
allocChunk: 0 kB
onHugePages: 114688 kB
memHugePages: 0 kB
memPmdMapped: 0 kB
aTotal: 262144 kB
aFree: 218996 kB

```

GiB Mem

GiB Swan

看得见的



firewall> show npf flows stats

:show npf flows [expect] [filter {[saddr sip] [sport port][daddr dip][dport port]}
expect



1.

2.

3.

4.

5.

6.

7.



1.

2.

3.

4.

5.

6.

7.



1.

2.

3.

4.

5.


6.

7.

license

DNS







1.

2.

3.

4.

5.

6.

7.

THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn



A 11

