










- ✓
- ✓
- ✓
- ✓

1-1 RG-AP630-A



	RG-AP630-A		
(L × W × H)	250mm × 170mm × 50mm		
	2.4G	2x2 MIMO	300Mbps
	5G	2x2 MU-MIMO	867Mbps
	1.167Gbps		
	802.11b/g/n: 2.4GHz-2.483GHz; 802.11ac/a/n: 5.15GHz-5.85GHz		
	27dBm		
	2.4G: 9dBi 5G: 9dBi		
	1	10/100/1000Base-T	PoE
PoE	802.3af/802.3at		
	<12.95W		
	-40 ~+55		
	5%~95%		
	IP68		
	<1kg		
	GB4943 EN/IEC 60950-1		
EMC	GB9254 EN301 489		



I

II



M5X4 M6X2



PG
M25*1.5




304 X2
45mm-75mm










()

✓

✓

✓

✓







✓

✓

✓

✓



✓





Riuto

www.riuto.com

www.riuto.com





Riuto

www.riuto.com

www.riuto.com





- ✓
- ✓
- ✓
- ✓
- ✓
- ✓







Riitio

www.riiio.fi

www.riiio.fi



29

A 11

100036

Office Tel: 010-51718888 Mobile Tel: 13888888888 Fax: 010-51718888

www.ruijie.com.cn E-Mail: xxx@ruijie.com.cn