

copyright © 2022



-
-
-

1 Web

1.1 1.1.1

Web

Web

chrome


WEB



IF2920U


1.2

WEB	WEB



1.3.2.1

Web



1.3.2.2

Web

1.3.3

1.3.3.1

/

/

MAC

poe

/

1.3.3.2



/

0

/ /

DDM

<DDM >

DDM

1.3.3.3 POE /ARP

MAC地址		端口	总功率: 126 W 剩余功率: 126 W				IP地址
			端口	POE开关设置	供电状态	供电功率	
00d0.f822.33b9		Gi0/2	Gi0/1	开启	关闭	0	172.29.15.1
			Gi0/2	开启	关闭	0	
			Gi0/3	开启	关闭	0	
			Gi0/4	开启	关闭	0	
			Gi0/5	开启	关闭	0	
			共 9 条				共 1 条

- POE

POE

< >

POE

- ARP

ARP

< >


ARP


1.3.4

1.3.4.1


1.3.4.1.1

1.3.4.1.1.1






1.3.4.2




●




1.3.5

1.3.5.1



1.3.5.1.1 Ping



1.3.5.1.2



_20220118182247.txt



1.3.5.2.3 Boot




boot

1.3.5.3

1.3.5.3.1

1.3.5.3.1.1




●

<

>

config.json



1.3.5.3.1.2



•

< > < >


•

< >

1.3.5.3.2

2-3





-

< >


-

< > config.json

1.3.6

1.3.6.1

1.3.6.1.1



[illegible]

```
Ruijie(diag)ping 192.168.193.1
Sending 5, ICMP Echoes to 192.168.193.1, timeout is 2000 milliseconds:
ping: recv 192.168.193.1 1 ms
ping: recv 192.168.193.1 0 ms
ping: recv 192.168.193.1 1 ms
ping: recv 192.168.193.1 0 ms
ping: recv 192.168.193.1 0 ms
Success rate is 100 percent (5/5),round-trip min/avg/max = 0/0/1 ms
Ruijie(diag)#
```