

5.3R1X5



- V5.1_R1X5

- V5.1_R1X5



V5.3_R1X5





1.

2.

3.

4.



5.3R1X3



5.3R1X5




1.

2.

3.

4.






1.

2.

3.

4.





\

\



USB

USB

5.3R1X3

5.3R1X5




2

UOS/Kylin

D

windows

5.3R1X3



5.3R1X5








UOS\Kylin

exe msi

Windows

exe msi






X3

IDV VDI


IDV VDI

IDV VDI

5.3R1X3



5.3R1X5



X3

3

VDI

D

XX

VDI

D

0

D

D



Windows

“ ”

IDV

CPU



windows



1 Mini
Mini
2 Mini 500


-> ->

A IDV
B RCDC
B RCDC
B IDV
RCCP

Mini

A

B
1




IDV

A IP

D

D

D



✓

✓

✓ HTTP

✓

URL

U

[]

web

5.3R1X3



5.3R1X5





0

IDV


CPU



10

30






D

D

D




UOS\Kylin


UOS\Kylin


5.3R1X3




5.3R1X5










desktop.ini RECYLE.BIN

desktop.ini RECYLE.BIN



desktop.ini RECYLE.BIN Windows

UOS\Kylin

F5

THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn



A 11

