

copyright © 2025



<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

7*24h

<https://ocs.ruijie.com.cn>

7*24h

4008-111-000

——


<https://www.ruijie.com.cn/special/fw/tool/xryf/>

4008111000@ruijie.com.cn

doc@ruijie.com.cn



APP





		i
1		1
1.1		1
1.2		1
1.3		


3		12
3.1		12
3.2		13
3.3		14

6.2		27
6.2.1		27
6.2.2		27
6.2.3		28
6.2.4		28
6.2.5	FIT AP	28
6.2.6		28
7		28
7.1		28
7.2		30
7.3		33
7.4	V1.40	33
7.5 DC		35


RG-MAP852-SF-U					
	802.11ax	2.4G	575Mbps	5G	
2.4Gbps		2.975Gbps			

RG-MAP852-SF-U	2	8	10/100/1000Base-T	1	1G/2.5G	1
Console	1	DC				





1	LAN	
2		
3		



1	RG-MAP852-SF-U	1		
2		1		
3	M3*5	1		
4	ST4.2×20	2		
5	6×25mm	2		
6		1		
7		1		
8		1		
9		1		
10		1		V1.30 V1.40

× ×	172mm×86mm×46.15mm
	0.4kg 0.1kg
	172 86
× ×	171mm×85.4mm×5.6mm

--	--

	802.11b -96dBm(1Mbps) -93dBm(5Mbps) -89dBm(11Mbps) 802.11a/g -91dBm 6Mbps -85dBm 24Mbps -80dBm 36Mbps -74dBm 54Mbps 802.11n -90dBm@MCS0 -70dBm@MCS7 -89dBm@MCS8 - 68dBm@MCS15 802.11ac HT20 -88dBm MCS0 , -63dBm MCS9 802.11ac HT40 -85dBm MCS0 , -60dBm MCS9 802.11ac HT80 -82dBm MCS0 , -57dBm MCS9 802.11ax HE80 -82dBm MCS0 , -57dBm MCS9 , -52dBm MCS11 802.11ax HE160 -78dBm MCS0 , -53dBm MCS9 , -48dBm MCS11

	5.1 Zigbee RFID Thread



--	--	--



1.5m


0.4m

$\leq 0.5\mu\text{m}$	/m ³	$\leq 1.4 \times 10^7$
0.5 μm $\leq 1\mu\text{m}$	/m ³	$\leq 7 \times 10^5$
1 μm $\leq 3\mu\text{m}$	/m ³	$\leq 2.4 \times 10^5$
3 μm $\leq 5\mu\text{m}$	/m ³	$\leq 1.3 \times 10^5$

	0.2	1.5
	0.006	0.03
	0.04	0.15
	0.05	0.15
	0.01	0.3



30




AP

(1)

86

(2)


M4*20




(3)



(4)



(5) LC




(6)



(7)






10cm

AP

AP

(1)

172



(2)

M4*20

UP ↑



(4)




(1)

[3.4.3](#)

M4*20

146mm



(2)

86

3~7




AP LAN

AP

7.1

AP	AP	AP
AP	AP	AC



PoE

RG-AM5528-SF

PoE

DC

6 TP1 -

6 TP1 -

6 TP1 -

6 TP1 -

4 TP2 +

4 TP2 +

4 TP2 +



4

7-3

220V

-48V

7-4



10	80~150
10~30	150~200
30	200~300

				min	max	min	max
2.5G-SFP-LX03-SM1550-BIDI-I	1550TX/1310RX			-9	-3	-16	-3

I

	3.125Gbps/10Km	MG-SFP-LR(A1-8)-H-E SFM-LR-SM



DC

DC48V

0.5A

3.81mm	8.42mm	6.8mm	

