• ´ Ñ *f*

copyright © 2023 i H à Ì

‘ + Î † C Î Ò ¢ %² ä Ó ïož

Ì ± ñ i H à Ì 0 µ • U k ` ~ % y y K ± Y ` ~ • ” ê ¥ ” + Î † B ã ê ¶ B Ä g Ö ò o • d £ o • Õ ao • “ wo • n no • ì è ¿ U § ˆ o • 1 ¿ B ã ê ¶ B 9 Œ (ož

o• y ¿ U i H à Ì Œ ö ® i H à Ì Œ öož

Î † U C ¿ U ñ Ä Œ ö ê h Æ Œ ö k _ ñ Ä K (Äož

± • Ñ *f*

Ó ñ Æ 1 D } o • Æ ê Ô Å ˆ • I Œ ` c y Ú . ³ Ø k Î † T B ã ê ¶ B D } o • Æ ê Ô Å U ¨ Ó Æ 1 ê … 8 $ Äož ” ³ ` c P Ä ³ k i H à Ì + Î † Ä Ÿ ` ~ ¢ P ê ó P Ò ¢ ê ‘ šož

9 D } Í Î ´ ê ¿ U = œ k Î † Ä k Ê g ¾ • ož i H à Ì ‘ ¨ Z Ä ` ~ * = ê ñ U P Õ Ñ + † Ä g “ w Ó ïož

Î ô Æ N • … 6 - ož i H à Ì ¨ Ú Ê Î ô Æ ž] @ ‘ š ¿ Ä Õ G U ´ k x w G ‘ ô Æ Ä ¶ Z Ä j ¨ ê 4 ¥ k Î ô Æ ñ Ä ’ Î - ã è ` ~ ¢ P ê ¹ P ‘ož

ù ¢

ù ˆ I
1 Ð § ê Ý § 1
2 D } P Å 1
2.1 D } ë ã .....

5.4 | Ê 4 y ¨ RG-WIS B æ è e k k “ w Æ ˜ IP ª - Y C ¢ ù Æ ˜ … Ä ¿ à Ì F ˜ d f g / N à M h ~ 28
6 • £ 29

1 ± v Ë ¬ Û v

Î † … Ð § ê ñ Ý § ò n ñ P y

=**1-1**

± v Ë À ¬ Û v	**g µ 5**	**5 é**
CDH	& O R X G H U D ¶ V ' L V W U L E X W hadoop	Cloudera **G g Í** hadoop
CM	Cloudera Manager	Cloudera **¤ é ' ò ÷ ^**
CMS	Cloudera Manager Service	Cloudera Manager **U ^ ' ò Æ**
Master	Master	**¤ é ' ò - µ**

WIS Ú _ — Õ C _ , ¼ † • © Ïo• Ò û àо• ; û à J ¤ ƒ G k g ƒ G Ä Ô ò g † ò k Ž n k à š ˆ h k ƒ G
¥ k ƒ G Ô òo• ƒ G ã ä ˆ k ú } à à io• g Óo• Ý ƒ G ˆ Ú _ SAAS k + ´68 ½ ao• à ! ` • ˆ Ú _
• « ° g ã • u 4 ož

4 ‘ z Æ ˜ è Î k WIS U ˆ 3 - µ B æ • k ¿ þ ¶ © 1 ’ ò - µ y W • - µ g Œ ` B æ k ’ ò - µ c ž Ã
¿ W • - µ …) k / ù V B æ CMo• J ¤ Æ o• WIS C ƒ G € Æ c 7 B æ ‹ ‘ Æ k ò - µ Q B æ
‹ ‘ Æ ož B æ ë ã ò £ ñ Pož



2.2 À ¹ ª ‘ Ø O ”

RG-WIS • Á º « ° " ÷ ò £ ñ Pož



AC k AP k à ¼ k A E Ñ ˆ — Õ* CWMP # ‘ N µ RG-WIS u V k RG-WIS u V g — Õ ’ ò z

AC * http/https # ‘ A V à Ì ƒ G Ë RG-WIS u V z

3 p • ù r

) ,

. F å Æ ˜ k ¢ Â ² o•) ² § — Ë À 9 § — ® á } L z

	§	$ U § — ´
f Ô d (U)	— d	

f Ô d	x ž ö	x ž ö â			d (ö	d (ö â	
		ù ¢	@ N Ü 3	ù ¢ y ƒ		ù ¢	@ N Ü 3
						/metadata	100G
100000	300G*1	/boot	500M	© Ï & (o – -)	2TB * 5, 100GB * 1, 200GB * 1	/data/data1	2T
		/	100G	© Ï & (ÿ) £)		/data/data2	2T
		/var	199G	© Ï & (™ º) £)		/data/data3	2T
						/data/data4	2T
						/data/data5	2T
						/data/data6	200G
						/metadata	100G
		/	50G	© Ï & (ÿ) £)		/data/data1	3T
	50G*1				3T * 4 k1T * 1 k 100GB * 1		

(3) # + x § ˆ

(4) — å ž • y ž k # + Asia->Shanghai



(5) — å x) £ y M & ã


us
DATE & TIME
KEYBOARD
English (United States)
SOFTWARE
INSTALLATION DESTINATION
Automatic partitioning selected
Quit
Begin Installation


INSTALLATION DESTINATION
CENTOS LINUX 7 INSTALLATION
20 GiB
VMware, VMware Virtual S
sda / 20 GiB free
Disks left unselected here will not be touched.
Add a disk...
Disks left unselected here will not be touched.
Automatically configure partitioning.
I will configure partitioning.
I would like to make additional space available.
Encryption
Encrypt my data. You'll set a passphrase next.
Refresh...
Full disk summary and boot loader...
1 disk selected; 20 GiB cap

µ à è k µ M & ã ¼ µ



µ à + Z k ë • M & ã g 7 %² ~ - n g ã h




MANUAL PARTITIONING
CENTOS LINUX 7 INSTALLATION
SYSTEM
/boot
sda1
500 MiB
Mount Point:
/boot
Modify...
after creating the mount point below.
Mount Point:
/
Label:
Name:
sda1


MANUAL PARTITIONING
CENTOS LINUX 7 INSTALLATION
SYSTEM
/boot
500 MiB
Mount Point:
ADD A NEW MOUNT POINT
More customization options are available
after creating the mount point below.
Mount Point:
/var
100G
Label:
Name:
sda1
20 GiB
19.51 GiB
Reset All
1 storage dev


MANUAL PARTITIONING
CENTOS LINUX 7 INSTALLATION
SYSTEM
/boot
sda1
500 MiB
Mount Point:
/boot
/metadata
Cancel
Add mount point
Label:
Name:
AVAILABLE SPACE
19.51 GiB
TOTAL SPACE
20 GiB
Reset All
1 storage device selected
MANUAL PARTITIONING
CENTOS LINUX 7 INSTALLATION
SYSTEM
/boot
sda1
500 MiB
Mount Point:
/boot
ADD A NEW MOUNT POINT
More customization options are available
after creating the mount point below.
/data/data1
Mount Point:
Label:
Name:
sda1
AVAILABLE SPACE
19.51 GiB
TOTAL SPACE
20 GiB
1 storage device selected
Reset All

(6) • ÷ x


us
DATE & TIME
KEYBOARD

(7) x i — å root % A


CONFIGURATION
CENTOS LINUX 7 INSTALLATION
us
Help!
CentOS
USER SETTINGS
ROOT PASSWORD
Root password is not set
USER CREATION
No user will be created
Creating lvmpv on /dev/sda2
oduces the CentOS Linux Distribution.
i.centos.org/SpecialInterestGroup
Please complete items marked with this icon befor ntinuing to the next step.

⚠ # E Æ

? & C × ž ü.7?·Aô5¤ F 68* .

§ —¯› ´

à Ì … bridge % ” k F å ² Á IP ª - k F å • c ò y

(1) µ Æ ˜ k ÿ µ ip addr x X k ò 0 ¢ ù UP à M



(2) ÿ µ x X vi /etc/sysconfig/network-scripts/ifcfg-eth0 g 4 Ô eth0 ÿ G Ž Õ Ñ Á E h Ú þ † ^



(3) 7 i p µ • % ”



(4) ÿ G à Ì Ž Õ Ñ • Y ’ Î k • è e ÿ µ :wq ‘ w ß z



(5) ÿ µ x X service network restart M o à Ì

(6) ping à ¼ ª - y ¡ * Å

| © ¬	ù é © ¬	" `	O L	y ƒ
-		P		
¬ } N µ — Õ ª -	WIS ’ ò ª -	T C P	22	9 ë • WIS ñ N µ — Õ telnet Ÿ 3 y eweb Ÿ 3

¬ } N µ — Õ ª
- WIS

RG-

3.2 G º Ê ´

3.2.1 G º Ê ó Ó

1. ö ó Ó

¨ **? V Æ ~ C ü g** df ±h x X k ã ð G • F & ã © k á 3.1.1 ~ - } L

2. Ã ó Ó

¨ **? V Æ ~ ü g** cat /proc/meminfo x X k G • Ä © k á } L k ò £ ñ P y



3. CPU ó Ó

¨ **? V Æ ~ ü g** lscpu x X k G • CPU © k á } L , ò £ ñ P



4. § —¯ › ó Ó

V Æ ˜ · À ¨ c%² 8 C à Ì w V Æ ˜ • F å … ® Ì

• ó Ó c b Ø “ µ ¶ ò d

) ù ó • … Asia/Shanghai • ž x k ò ç ¬ } ¨ • Ù B æ \ Ä : k Æ ˜ ¬ } F å 3 G ž ož

ò 0 ¢ ù © Ï ž y timedatectl | grep "Time zone"

F å © Ï ž g Y p , ž † h y ln -sf /usr/share/zoneinfo/America/New_York /etc/localtime

÷ ^ x 3 ú

3.2.2 Æ] G

⚠ # E Æ

A ¿>û!›PÚ M6?· ^ 6 & q p @F >, ¸ ¿>ûEý0A c ¸E¥ , P8 ÞF >, < 9 EG 5¨ >

1. m G o•

1 RG-WIS_Plat_V5.20_Build20220926.tar.gz y RG-WIS-APP_5.20_Build20220926.tar.gz (Í Î Z Y Ž G b Õ) x n ñ Æ ˜ /opt) £ ož

m q D u

(1) y WIS ÷ ^ x PC x FTP ÷ ^ FileZilla Client k ÷ ^ ú ª - y https://filezilla-project.org/ož

(2) ø • FileZilla k F å ª - ˆ ’ Î k ’ Î ª ¢ ò y

Ñ y } N Ñ ª - k U Y # + < V Ñ ` Þ%² V g%² " • ‘ # + †%² V h

ï d y Ñ £ ï d k%² " root

€ M y … 22 € M

F å µ ½ , N k N Ñ

(3) Ñ e k ó • © ¨ /root † ^ æ k ¬ } › %² ´) £ À e Ç µ /opt) £ož

µ à .. µ %² ´) £



µ à opt µ opt) £



(4) 1 Î ª PC RG-WIS_Plat_V5.20_Build20220926.tar.gz y RG-WIS-APP_5.20_Build20220926.tar.gz RG-WIS (Í Î Z Y Ž G b Õ) x $ 1 ñ /opt) £ k • ÷ n k + n è z

2. á ´ **WIS** ²

µ %² 5 n ÷ ^ x Ñ k U Y 0 ñ /opt) £ Ä ê n ÷ ^ x ož

µ Ñ q • © Ï • ” Ä _ y

(1) * Ñ Ù N p & y õ ö µ g ¥ • ” N ’ 9 Ò ò Ñ h

(2) * SSH2 • ” µ k Ñ ª - } µ Ñ ª - k ï d y % A Ñ £ ï d y % A k € M Z 22 g • ‘ … _ • ” µ Ñ h



3. Ý 6 G

µ ` Þ%² V Ñ g h Þ y Q ¬ } ¨%² V Ñ ü g h k ¨ x) £ k ü g Y q • y

(1) † 9 x

ü g Y x X k ã ð † 9 u V x y • x g † ^ d ¬ Á E è Ž x h

```
cd /opt/
tar zxvf RGWIS_Plat_V5.20_Build20220926.tar.gz
tar zxvf RGWISAPP_5.20_Build20220926.tar.gz
```

(2) — å x @ ƒ

```
cd /opt/wis_plat_installer
sh config.sh [ -n server_count] [ -P port] -p password -h vip [ -o no]
```

? d y ƒ u

Ñ -n: 6 Æ ˜ ƒ O k ó • 3 V k) ù u 4 3 V y 5 V

Ñ -P y 6 Æ ˜ ssh € M k ó • 22

Ñ -p y Æ ˜ root % A

Ñ -h y VIP ª -

Ñ -o y • Ù x % ” k ó • no k ¢ F å yes ž • Ù x % ” k ¢ Ä } Fož g • Ù B æ % ” } L x ù Æ ˜ Õ G F å ¢ ª ž h

„ Ð … u

Ñ ¢ Ä 3 - µ x y sh config.sh -p xxx -h 10.110.150.122

Ñ ¢ Ä 5 - µ x y sh config.sh -n 5 -p xxx -h 10.110.150.122

Ñ • Ù 3 - µ x y sh config.sh -p xxx -h 10.110.150.122 -o yes

Ñ • Ù 5 - µ x y sh config.sh -n 5 -p xxx -h 10.110.150.122 -o yes

(3) ü g x Î

```
cd /opt/wis_plat_installer
sh instal l.sh all
```

ß ë £ U P k ª ¢ x è y



3.2.3 RG-WIS € Đ Æ] 2 É

⚠ # E Æ

Ê+^E¥ , ®E³ D ¸ v ?,º P × ¦ ¤ P žG X g ¸B- ^ ®E³ ƒ „ H 69<‡ -

• ÷ ^ 3 ú i ò y

(1) µ ` ~%² V Ñ k x X cd /opt/idata/ µ) £

(2) g bash uninstall.sh • ÷ 3 ú k 3 ú i Ý ³ ¬ } 5 ã U k ¢ ß ë Uninstall has completed! n P 3 ú èož

3.2.4 RG-WIS t U Æ] 2 É

⚠ # E Æ

© &E¥ , ®E³ D ¸ v ?,º P × ¦ ¤ P žG X g ¸B- ^ ®E³ ƒ „H 69<‡ -

4 ¬ } k Ä ž ˜ ¬ } 3 ú u V ÷ ^ k q • 5 â ò y

u V ÷ ^ 3 ú © ¨ 3 ú CDH Æ Â E k 1 Â E ÷ ^ C ƒ G € ’ Î ¶ B 3 ú q •ož

%² " 9 Ž ò … ê Ë k 1 ñ Ä ÷ ^ Ž ” ož

µ ` Þ%² V Ñ k ¨ x) £ k ü g ¶ 3 ú x X y

```
cd /opt/wis_plat_installer
sh uninstall.sh all
```

ß ë Y U P k ª ¢ 3 ú è



RG-

(6) › ñ RG-WIS © Ï ’ ò ¼ µ k µ à - µ License 7 Z k # + ú License † ^ è - µož 4 ž è I Ó F å

2. Z p * ´

ž I Ó ‰ ù y ¡ « ° , I Ó ž x %² Ã z

ž I Ó ¬ } û © — ¿ D } Æ ò .

3.3 RG-WIS Æ] ƒ

÷ ^ ´ ¬ **û** ©400 u 4

4 ñ } „ Đ RG-WIS

4.1 Æ] × „ Đ y ƒ

Î † M µ P Å ¨ WIS u V • — Õ k ¿ U • † o¦ RG-WIS_5.23(b1)_Build20220926_ ï … ô Æ (V1.0)o§ ê ñ Â • ï ô Æož

4.1.1 n f Ô

µ à [é à Ì]>>[é « ñ]>>[— Õ ’ ò] k µ — Õ ’ ò ¼ µož µ à < • — Õ > k 7 } L # + — Õ • º o • — Õ d f ê ñ * ÿ µ — Õ ~ ç Z g — Õ • ož

¢ 4-1



— Õ ~ ç Z B H • ” Ä _ y

z x X ò ¤ y ¨ — Õ * show version ò 0 — Õ ~ ç Z k ò y

X**AC … g G1L60EW000233 . AC é } æ Yož**

```
Ruijie#show version
System description : Ruijie Gigabit Wireless Switch(WS6008) By Ruijie Networks.
System start time : 2020 -06-07 11:52:26
```